

- 790 FSB contact persons + locations
- 791 General index
- 794 Index of product groups
- 795 Product code index

Appendix

FSB contact persons + locations

Franz Schneider
Brakel GmbH + Co KG

Nieheimer Strasse 38
33034 Brakel
Germany

Tel. +49 (0)52 726 080
Fax +49 (0)52 7260 8300

www.fsb.de
info@fsb.de


FSB contact persons

To get comprehensive product advice or to order samples and tender specifications, please contact:

sales@fsb.de
Tel. +49 (0) 5272 608 116

Your local FSB contact person for personal consultations, as well as international FSB sales offices, can be found at:

www.fsb.de/contact



Brakel is located near Paderborn in the south-eastern tip of North Rhine-Westphalia in Germany. Paderborn is well connected to a number of national and international airports. An ICE high-speed rail station is located at Kassel-Wilhelmshöhe, just under an hour's drive from Brakel. Of Germany's key airports, the closest to Brakel are Hanover (approx. 120 km away),

Düsseldorf (approx. 200 km) and Frankfurt (approx. 220 km). To reach Brakel by car from the north: on the A2 between Hanover and Dortmund, take the Rinteln exit and then follow the B roads from Rinteln, through Barntrop and Blomberg, and finally to Brakel (approx. 90 km). To reach Brakel by car from the south: on the A44 between Kassel and Dortmund, take the

Warburg/Brakel exit and then follow the B252 from Warburg, through Peckelsheim, Siddessen and Rheder, and finally to Brakel (approx. 35 km). FSB has two locations in Brakel. The head office is at Nieheimer Strasse 38. The aluminium foundry, tool workshop, Development department and plants 2–5 are located together with the logistics centre at Industriestrasse 12.

Appendix

General index

0° position door handle	53, 59
Accessories	756 ff.
Adaptor system	52 f., 322
Added value of door handles	70 f.
Added value of door pulls with Fingerscan	704 f.
Added value of fittings for emergency exit and panic doors	590 f.
Added value of fittings for entrance doors	628 f.
Added value of fittings for glass doors	498 f.
Added value of fittings for narrow-stile doors	464 f.
Added value of fittings for sliding doors	544 f.
Added value of lever handles with privacy function	528 f.
Added value of plug-in handles for doors	396 f.
Added value of recessed lever handles	578 f.
Added value of security fittings	714 f.
Added value of window handles	408 f.
Added value of XXL door handles	614 f.
AIC, anti-infection coating	12 f., 614, 621
Aluminium	14 ff., 44 ff.
Automatic locking	411, 428 ff.
Backplates	322, 358, 333, 386
Ball catch	410 ff., 454
Barrier-free fitting	6, 36 f.
Bearings / bearing technology	52 ff.
Broad backplate	70, 322, 360
Bronze	15 f., 24 f.
Budget lock roses	438
Care	12, 614 f.
Certification	6, 75
Classification code	62 f., 404, 454 f., 490 f.
Crossbar fittings	590 ff.
Cut roses/backplates	322, 362
DIN 18257	715 f., 735, 744 f.
DIN EN 1627–1630	411, 744
DIN handing	75
Door holder for glass doors	519
Door pulls	628 ff.
Door pulls with Fingerscan	704 ff.
Doorknobs	339 ff., 375 ff.
Doorknobs for glass doors	516 ff.
Doorknobs for narrow-stile doors	479 ff., 82 ff.
Downloads	9
Durability rating 5/180	410 ff., 454
Emergency release	59, 316
EN 1125	9, 590 ff., 610
EN 13126-3	408 ff., 454
EN 179	9, 72 ff., 578, 590 ff., 604 ff.
EN 1906	9, 53, 57 ff., 62 ff., 404, 490 ff., 714 ff., 744 f.
EPD, environmental product declaration	6, 9
ErgoSystem® A100	36 f., 44 ff.
ErgoSystem® E300	36 f., 38 ff.
Female knob handles	346 f., 379 f.
Fingerscan	704 ff.
Finishes	14 ff.
Fire safety sets / fire safety fittings	9, 64, 75
Fixing door pulls	691 ff.
Fixing equipment	756 f., 774 ff.
Fixing system for narrow-stile doors	493 ff.
Fixing system for plug-in handles for doors	405
Fixing system for plug-in handles for windows	459 ff.

Appendix

General index

Flexible/dependable delivery	9
Flush ring handles	586 f.
Flush-fitted hardware	368 f., 536 ff.
Flush-fitted security rose	741
Flush-fitted window handles	410, 458
FSB AGL®	53, 59 f., 62 f., 74
FSB ASL®	53, 56 f., 62 f., 74
FSB ASL® accessory bag	348 ff.
FSB Select	72
Glass door fitting	498 ff.
Glass-door hinges	513 ff.
Half-sets for entrance doors	683 ff.
Handmade	10 f.
Handrail	12, 36 ff.
Heavy-duty fitting	53
Hospital	12, 620 f.
Inactive-leaf sets	84 ff., 468
Individual parts	52 ff., 322 ff.
Inside backplate for security fitting	373
ISO 14001	6
ISO 50001	6
Kit	322 f.
Knob backplates	337 f., 370 f.
Letter plates	686 f.
Lever handles for emergency exit doors	58 ff., 72 ff., 591, 604 ff.
Lever handles for narrow-stile doors	82 ff., 606 ff., 464 ff.
Lever handles with privacy function	528 ff.
Lever/knob set for narrow-stile doors	735 f., 487
Lever/knob sets	52 ff., 80 ff., 536
Lever/lever sets	76 ff., 486, 536, 56, 735 f.
Lifting/sliding door fittings	76 ff., 10 f., 442 ff.
Lockable window handle	411, 428
Lockable window-handle roses	382 f.
Locks for narrow-stile doors	495
Made in Brakel	6
Materials	14 ff.
METRIC®	43
Non-handed	55 ff.
Nursing homes	12 f.
Parallel slide/tilt fittings (PST)	439 f.
Plant tours	9
Plug-in handle for doors	81 ff., 396 ff.
Plug-in handle for windows	81 ff., 412 ff.
Positive mechanism	53, 56 ff., 465 f., 591
Product configuration	73, 322 ff.
Production expertise	8
Push/pull pad handles	634 ff.
PVD	23
Quality standard RAL-GZ 607/9	411
Recessed handles	441, 449
Recessed lever handles	578 ff.
Reduction of pathogens	12
Renovation backplate	361, 623
Resistance class RC 1 to RC 6	411, 744
Roses	322 ff.
Roses for plug-in handles	383, 372
Routing dimensions for sliding door handles	569 ff.
Routing jigs	774 ff.
S-Flat push/pull pad handles	636

Sanitary fit-out	36 ff.
Screws	769 ff.
Security fittings	714 ff.
Security grades	64, 744 f., 492
Security roses	537, 717, 737 ff.
Service	9
Sets for narrow-stile doors	84 ff., 464 ff.
Slide-on and adhesive roses	485
Sliding door handles	544 ff.
Sliding door handles for glass doors	518 ff.
Smoke control set	75, 486 f., 538, 618 f.
Special spindle for FSB AGL® FS EN 179 sets	768
Spindles	756 ff., 494
Stainless steel	12 ff., 38 ff., 15, 22 f.
Sustainability	6
Technical information for bearing and adaptor technology	61 ff.
Technical information for fittings for emergency exit and panic doors	609 ff.
Technical information for fittings for entrance doors	689 ff.
Technical information for fittings for glass doors	521 ff.
Technical information for fittings for narrow-stile doors	489 ff.
Technical information for fittings for sliding doors	569 ff.
Technical information for fittings for windows	453 ff.
Technical information for individual product configuration	385 ff.
Technical information for security fittings	743 ff.
Tee handles for windows	422 ff.
Tilt-to-turn	411, 428 f.
Turnably fixed	52 ff.
Universal template	775
WC roses	316, 390, 398, 539
WC sets	57 ff., 80 ff., 316, 536
Window handle	408 ff.
Window handles for specific requirements	426 f.
Window securing device	437
Window-handle roses	381 f., 432
XXL door handles	13, 614 ff.

Appendix

Index of product groups

03 | Thumb turns, installation aids, drilling templates, spare parts

05 | Spindles, fixing material and accessories

06 | Cranked lever handles for narrow-stile doors

07 | Doorknobs for narrow-stile doors

08 | Female knob handles

09 | In-line lever handles for narrow-stile doors

10 | Female lever handles (without handle roses)

12 | FSB ASL® Architectural hardware

13 | Fittings for glass doors

14 | Lever handle backplates with visible fixing

15 | Plug-in handles for doors

17 | Roses

19 | Knob backplates

23 | Doorknobs on roses

24 | Door pulls with Fingerscan

34 | Fittings for windows

36 | Cabinet knobs

38 | Letter plates, door stops

42 | Sliding door handles, flush ring handles

61 | Push/pull pad handles

66 | Door pulls

70 | Fittings for entrance doors

72 | Heavy-duty sets with FSB AGL® bearing

73 | Security fittings

76 | Heavy-duty fire safety sets with FSB AGL® FS bearing

77 | Recessed lever handles, crossbar fittings

79 | Heavy-duty fire safety sets for emergency exit doors with FSB AGL® bearing conforming to EN 179

Appendix

Product code index

Product code	Page	Product code	Page	Product code	Page	Product code	Page
03 0401	383, 461 ff.	05 0587	692, 697	07 0802	479	09 1178	192, 607
03 0410	771	06 0605	477	07 0804	479	09 1232	258, 607
03 0418	29, 482, 685	06 0620	478	07 0809	480	09 1243	268, 607
03 0450	771	06 0644	248	07 0812	480	09 1245	274, 607
03 0453	776	06 0662	476	07 0829	481	09 1247	280, 607
03 0455	777, 778	06 0663	478	07 0846	481	09 1255	290, 607
03 0457	779	06 1001	82	07 0854	482	09 1268	296, 607
03 0460	775	06 1002	82, 606	09 0001	366	09 1285	310
03 0462	780 ff.	06 1015	104	09 1183	248	09 1286	308, 607
03 0476	785	06 1016	110, 156, 606	09 1001	82	10 1001	324
03 0477	784	06 1023	120	09 1002	82, 606	10 1003	324
03 0478	785	06 1031	126, 606	09 1004	92	10 1004	324
03 0481	786	06 1035	126	09 1005	98	10 1015	324
03 0482	786	06 1043	180, 606	09 1015	104	10 1016	324
03 0487	787	06 1045	132, 606	09 1016	110, 606	10 1021	324
03 0488	787	06 1053	120, 606	09 1023	120	10 1023	324
05 0115	765	06 1070	146, 606	09 1031	126, 606	10 1035	324
05 0116	765	06 1076	156	09 1035	126	10 1045	324
05 0117	759, 761, 763	06 1078	162	09 1043	180, 606	10 1051	324
05 0118	758, 760	06 1088	162, 606	09 1045	132, 606	10 1058	324
05 0122	762	06 1093	168	09 1053	120, 606	10 1070	324
05 0123	762	06 1094	168, 606	09 1070	146, 606	10 1075	324
05 0125	768	06 1107	186	09 1074	248, 606	10 1076	324
05 0188	764	06 1108	192	09 1076	156	10 1078	324
05 0189	764	06 1119	198, 606	09 1078	162	10 1093	324
05 0303	769	06 1134	92, 607	09 1087	477	10 1097	324
05 0308	769	06 1144	208	09 1088	162, 606	10 1102	324
05 0309	769	06 1146	214, 607	09 1093	162	10 1106	324
05 0313	770	06 1159	226, 607	09 1094	162, 606	10 1107	325
05 0315	770	06 1160	232, 607	09 1102	174, 606	10 1108	325
05 0316	770	06 1163	238	09 1106	180	10 1119	325
05 0319	771	06 1164	238, 607	09 1107	186	10 1135	325
05 0320	771	06 1177	186, 607	09 1108	192	10 1144	325
05 0325	771	06 1178	192, 607	09 1119	198, 606	10 1146	325
05 0425	771	06 1232	258, 607	09 1134	92, 607	10 1147	325
05 0525	766	06 1243	268, 607	09 1144	208	10 1159	325
05 0526	767	06 1245	274, 607	09 1146	214	10 1160	325
05 0565	348 ff.	06 1247	280, 607	09 1147	220	10 1163	325
05 0566	348 ff.	06 1255	290, 607	09 1150	476	10 1176	325
05 0567	348 ff.	06 1268	296, 607	09 1159	226, 607	10 1183	325
05 0580	692, 694 ff.	06 1272	302, 607	09 1160	232, 607	10 1226	325
05 0582	692, 693	06 1286	310	09 1163	238	10 1232	325
05 0583	692, 696	06 1286	302, 601	09 1164	238, 607	10 1241	325
05 0585	692, 699	06 7816	486 ff.	09 1177	186, 607	10 1242	325

Appendix

Product code index

Product code	Page	Product code	Page	Product code	Page	Product code	Page
10 1244	325	12 1251	284 ff.	15 1023	119	17 1759	438
10 1246	325	12 1254	288 ff.	15 1035	125	17 1765	485
10 1251	325	12 1267	294 ff.	15 1045	131	17 1766	485
10 1254	325	12 1271	300 ff.	15 1051	137	17 1768	485
10 1267	325	12 1285	306 ff.	15 1058	141	17 1769	485
10 1271	325	12 1410	336	15 1070	145	17 1778	363
10 1285	325	12 1418	334	15 1075	151	17 1786	438
12 1001	80 ff.	12 1450	335	15 1076	155	17 1788	367
12 1002	80 ff.	12 1451	333	15 1078	161	17 1790	362
12 1003	86 ff.	12 1703	331, 333	15 1093	167	17 1791	362
12 1004	90 ff.	12 1704	331	15 1102	173	17 1795	362
12 1005	96 ff.	12 1731	330, 332	15 1106	179	17 1796	362
12 1015	102 ff.	12 1735	330	15 1107	185	19 1923	370
12 1016	108 ff.	12 1799	332 ff.	15 1108	191	19 1927	337, 370
12 1021	114 ff.	13 4257	519	15 1119	197	19 1963	338
12 1023	118 ff.	13 4220	506 ff.	15 1135	203	19 1964	337
12 1035	124 ff.	13 4230	519	15 1144	207	19 1966	371
12 1045	130 ff.	13 4223	509 ff.	15 1146	213	19 1970	338, 371
12 1051	136 ff.	13 4224	504 ff.	15 1147	219	23 0802	339, 375, 516
12 1058	140 ff.	13 4227	515	15 1159	225	23 0803	339, 375
12 1070	144 ff.	13 4228	514	15 1160	231	23 0804	340, 376
12 1075	150 ff.	13 4231	511 ff.	15 1176	243	23 0809	340
12 1076	156 ff.	13 4232	513	15 1183	247	23 0811	341, 376
12 1078	160 ff.	13 4256	518	15 1226	253	23 0812	341
12 1093	166 ff.	14 1402	359	15 1232	257	23 0828	342, 377, 517
12 1102	172 ff.	14 1410	359	15 1242	267	23 0829	342, 377, 517
12 1106	178 ff.	14 1415	358	15 1244	273	23 0844	343, 378, 516
12 1107	184 ff.	14 1418	358	15 1246	279	23 0846	343
12 1108	190 ff.	14 1425	363	15 1254	289	23 0854	344
12 1119	196 ff.	14 1433	361	15 1267	295	23 0873	344
12 1144	206 ff.	14 1458	364 ff.	15 1271	301	23 0880	345, 378
12 1146	212 ff.	14 1459	364 ff.	15 1285	307	24 6531	708
12 1147	218 ff.	14 1486	360	15 1720	372	24 6582	710
12 1159	224 ff.	14 1550	366	15 1721	372	24 6607	706
12 1160	230 ff.	14 1596	366	17 1729	485	34 0000	381 ff.
12 1163	236 ff.	14 4240	324	17 1730	485	34 1001	81
12 1176	242 ff.	14 4241	324	17 1733	369, 536	34 1003	87
12 1183	246 ff.	15 1001	81	17 1734	369, 536	34 1004	91
12 1226	252 ff.	15 1003	87	17 1736	368, 536	34 1005	97
12 1232	256 ff.	15 1004	91	17 1737	368, 536	34 1015	103
12 1241	262 ff.	15 1005	97	17 1752	367	34 1016	109 ff., 439, 443
12 1242	266 ff.	15 1015	103	17 1755	367	34 1021	115
12 1244	272 ff.	15 1016	109	17 1757	367	34 1023	119
12 1246	278 ff.	15 1021	115	17 1758	367	34 1035	125

Product code	Page	Product code	Page	Product code	Page	Product code	Page
34 1058	141	34 3488	433	61 6188	636	66 6653	668
34 1070	145	34 3491	435	61 6254	636	66 6655	668
34 1075	151	34 3495	435	66 6506	657	66 6659	673
34 1076	155 ff., 349, 354	34 3496	434	66 6507	657	66 6661	669
34 1078	161	34 3499	424, 426 ff.	66 6514	658	66 6662	669
34 1093	167	34 3784	425	66 6615	659	66 6669	670
34 1102	173	36 3692	312	66 6519	638	66 6670	656
34 1106	179	36 3693	312	66 6520	638	66 6673	673
34 1107	185	36 3694	312	66 6522	676	66 6674	671
34 1108	191	38 3826	686 ff.	66 6523	676	66 6675	651
34 1135	203	38 3829	687	66 6524	652	66 6681	674
34 1144	207	38 3816	752	66 6526	660	66 6683	673
34 1146	213	38 3878	752	66 6527	643	66 6715	678
34 1147	219	38 3880	753	66 6531	665	66 6716	678
34 1159	225	38 3881	752	66 6532	665	66 6717	678
34 1160	231	38 3884	752	66 6533	644	66 6718	678
34 1163	237 ff., 445	38 3888	752	66 6535	644	66 6719	679
34 1176	243	38 3895	753	66 6536	645	66 6735	654
34 1183	247	38 3898	313	66 6537	645	66 6736	654
34 1226	253	38 4006	313	66 6538	646	66 6737	654
34 1232	257	42 4203	586	66 6540	642	66 6738	654
34 1241	263	42 4204	586	66 6541	662	66 6739	655
34 1242	267 ff., 448	42 4205	587	66 6542	647	66 6801	655, 677
34 1244	273	42 4211	562	66 6546	663	66 6802	653
34 1246	279	42 4212	562	66 6548	640	70 1003	683
34 1251	285	42 4215	441, 449	66 6550	680	70 1004	683
34 1254	289	42 4217	450	66 6551	681	70 1005	683
34 1267	295	42 4250	550	66 6552	682	70 1015	683
34 1271	301	42 4251	551	66 6580	675	70 1023	683
34 1285	307	42 4252	552	66 6582	675	70 1035	683
34 3401	422	42 4253	553	66 6583	675	70 1070	684
34 3402	422, 438	42 4254	552	66 6602	656	70 1076	684
34 3403	424	42 4255	554 ff.	66 6612	648	70 1102	684
34 3404	422	42 4260	563	66 6615	659	70 1107	684
34 3407	437	42 4261	563	66 6616	649	70 1108	684
34 3416	437	42 4262	564	66 6623	672	70 1146	684
34 3453	237, 424	42 4263	564	66 6628	637	70 1147	685
34 3454	425	42 4264	565	66 6629	637	70 1163	685
34 3455	425	42 4265	565	66 6630	664	70 1183	685
34 3460	432	61 6108	634	66 6635	650	72 1001	80 ff.
34 3464	59, 316, 538	61 6181	634	66 6642	666	72 1004	90 ff.
34 3471	432	61 6184	635	66 6643	666	72 1015	102 ff.
34 3480	423	61 6186	636	66 6650	650	72 1016	108 ff.
34 3481	433	61 6187	636	66 6652	651	72 1023	118 ff.

Appendix

Product code index

Product code	Page	Product code	Page	Product code	Page
72 1035	124 ff.	73 7384	732	77 7981	597 ff.
72 1045	130 ff.	73 7385	733	77 7970	600 ff.
72 1070	144 ff.	73 7386	734	77 7971	603
72 1076	154 ff.	73 7391	738	77 7972	603
72 1078	160 ff.	73 7392	738	77 7973	603
72 1093	166 ff.	73 7393	738	79 1002	80 ff., 604
72 1102	172 ff.	73 7395	739	79 1016	108 ff., 604
72 1106	178 ff.	73 7396	741	79 1031	124 ff., 604
72 1107	184 ff.	73 7397	740	79 1043	178 ff., 604
72 1108	190 ff.	73 7530	735	79 1045	75, 130 ff., 604
72 1119	196 ff.	73 7531	736	79 1053	75, 118 ff., 604
72 1144	206 ff.	73 7560	720	79 1070	75, 144 ff., 604
72 1146	212 ff.	76 1001	80 ff.	79 1074	246 ff., 604
72 1147	218 ff.	76 1004	90 ff.	79 1088	160 ff., 604
72 1159	226 ff.	76 1015	102 ff.	79 1090	618
72 1160	230 ff.	76 1016	108 ff.	79 1117	75, 618
72 1163	236 ff.	76 1023	118 ff.	79 1118	619
72 1183	246 ff.	76 1035	124 ff.	79 1119	196 ff., 604, 619
72 1226	252 ff.	76 1076	154 ff.	79 1134	90 ff., 605
72 1232	256 ff.	76 1078	160 ff.	79 1146	212 ff., 605
72 1242	266 ff.	76 1093	166 ff.	79 1155	13, 620
72 1244	272 ff.	76 1102	172 ff.	79 1160	230 ff., 605
72 1246	278 ff.	76 1106	178 ff.	79 1164	236 ff., 605
72 1254	288 ff.	76 1107	184 ff.	79 1177	184 ff., 605
72 1267	294 ff.	76 1108	190 ff.	79 1178	190 ff., 605
72 1271	300 ff.	76 1144	206 ff.	79 1232	256 ff., 605
72 1285	306 ff.	76 1147	218 ff.	79 1243	266 ff., 605
73 3244	737	76 1159	226 ff.	79 1245	272 ff., 605
73 3249	737	76 1163	236 ff.	79 1255	288 ff., 605
73 3533	373	76 1183	246 ff.	79 1268	294 ff., 605
73 7330	735	76 1226	252 ff.	79 1272	300 ff., 605
73 7331	736	76 1242	266 ff.	79 1278	252 ff., 605
73 7360	720	76 1244	272 ff.	79 1286	306 ff., 605
73 7372	374, 721	76 1254	288 ff.	79 1287	13, 621
73 7373	722	76 1267	294 ff.		
73 7374	723	76 1271	300 ff.		
73 7375	724	76 1285	306 ff.		
73 7376	725	77 7947	582		
73 7377	726	77 7948	583		
73 7378	727	77 7949	584		
73 7379	728	77 7950	585		
73 7381	729	77 7952	585		
73 7382	730	77 7954	585		
73 7383	731	77 7980	592 ff.		