

526 Lever handles with privacy function

Lever handles with privacy function

Added value at a glance

The trend in premium-quality civic/commercial and residential construction is towards minimalism. Products blend in unobtrusively with their surroundings but at the same time they need to remain visible and functional for those who use them. That also applies

to bathroom/toilet doors – or any other door expected to afford privacy when required. FSB has rethought the locking process by integrating the lock directly into the handle rose of the FSB ASL® set, eliminating the need for a key rose.

Like a ballpoint pen: pushing the button locks the handle and pushing it again releases it

Locking device integrated in the handle rose; no key rose necessary


Privacy button on the inside

Minimalist design: ideal for premium commercial and residential buildings

Universal design: comfortable one-handed operation

Can be combined with standard mortice locks





Lever handles with privacy function

Product variants

Product features of lever handles with privacy function

- Round or square rose
- 8 and 8.5 mm square spindle
- Rose on the inside has privacy button, rose on the outside has emergency release
- Available as a set and as individual parts

Lever/lever set with round rose



Open (inside)



Locked (inside)

- 12 04720 (spindle 8 mm)
- 12 04721 (spindle 8.5 mm)

Lever/lever set with square rose



Open (inside)



Locked (inside)

- 12 04920 (spindle 8 mm)
- 12 04921 (spindle 8.5 mm)

For optimal preparation of the door for installing the lever handle with privacy function, FSB provides a drilling template, which can be ordered separately using product code 03 0455 03000 6000.

The companion accessory bag when ordering individual parts can be found on page 351.

Inside handle rose round/square

Outside handle rose round/square with emergency release




- 12 1799 00124 (round, spindle 8 and 8.5 mm)
- 12 1799 00125 (square, spindle 8 and 8.5 mm)

- 12 1731 00801 (round, spindle 8 and 8.5 mm)*
- 12 1703 00801 (square, spindle 8 and 8.5 mm)*

Accessory bags for the different spindle thicknesses must be ordered separately.

* Note: during installation, a screw hole must be drilled underneath the lock follower for the emergency release device. The emergency release has a diameter of 3 mm and can be operated with standard household tools or even a nail.



Lever handles with privacy function

Overview

1001

Page 81



1003

Page 87



1004

Page 91



1005

Page 97



1015

Page 103



1016

Page 109



1021

Page 115



1023

Page 119



1035

Page 125



1045

Page 131



1051

Page 137



1058

Page 141



1070

Page 145



1075

Page 151



1076

Page 155



1078

Page 161



1093

Page 161



1102

Page 173



1106

Page 179



1107

Page 185



1108

Page 191



1119

Page 197



1144

Page 207



1146

Page 213



1147 ■ ■
Page 219



1159 ■ ■
Page 225



1160 ■ ■
Page 231



1163 ■ ■ ■
Page 237



1176 ■ ■
Page 243



1183 ■ ■
Page 247



1226 ■
Page 253



1232 ■
Page 257



1241 ■
Page 263



1242 ■ ■ ■
Page 267



1244 ■ ■
Page 273



1246 ■
Page 279



1251 ■ ■
Page 285



1254 ■
Page 289



1267 ■ ■ ■
Page 295



1271 ■ ■
Page 301



1285 ■
Page 307



6e